

Limit Switches

Features

Rigid construction with metal body & plastic cover

Made in engineering plastic with high mechanical strength & heat sustenance capacity

Cable entry from bottom side with provision of cable gland PG 13.5/M20

Oil, water & dust proof

Mechanical life - 1 Million & Electrical life - 0.5 Million

Available in different actuators to suit different applications

SLPB Series



SLPBS3A1



SLPBS3F5



SLPBS3B2



SLPBS3B4



SLPBS3LP



SLPBS3EE



SLPBS3D



SLPBS3F7

Cat. No.	Housing & Entry	Contacts	Operating Head
SLPBS3A1	Plastic Housing Bottom Entry	1 No + 1 NC Snap Action	Top push rod plunger (TP 2MM)
SLPBS3F5			Adjustable plate roller side push lever Ø 18 X 6.2 MM
SLPBS3B2			Metal top roller push plunger
SLPBS3B4			Metal side roller centre actuation
SLPBS3LP			Flexible plastic rod
SLPBS3EE			Side rotary lever with steel roller
SLPBS3D			Metal roller with vertical actuation
SLPBS3F7			Adjustable offset rubber Ø 50 x 8MM roller lever

Note: Please refer page no. 75 & 76 for drawings and technical specifications

SLPS Series



SLPSS3A1



SLPSS3F6



SLPSS3B2



SLPSS3RM



SLPSS3LP



SLPSS3EE



SLPSS3D



SLPSS3F7

Cat. No.	Housing & Entry	Contacts	Operating Head
SLPSS3A1	Plastic Housing Side Entry	1 No + 1 NC Snap Action	Top push rod plunger
SLPSS3F6			Adjustable metal roller lever Ø 17.5X 7MM
SLPSS3B2			Metal top roller push plunger
SLPSS3RM			Reversible adjustable plastic lever metal roller
SLPSS3LP			Flexible plastic rod
SLPSS3EE			Side rotary lever steel roller
SLPSS3D			Metal roller vertical actuation
SLPSS3F7			Adjustable offset rubber Ø 50 x 8MM roller lever

Note: Please refer page no. 75 & 76 for drawings and technical specifications

SLMPB Series



SLMPBS3D1



SLMPBS3F5



SLMPBS3A1



SLMPBS3B3



SLMPBS3B2



SLMPBS3M3



SLMPBS3M4

Cat. No.	Housing & Entry	Contacts	Operating Head
SLMPBS3D1	Metal Housing & Plastic Cover Bottom Entry	1 No + 1 NC Snap Action	Plastic roller side push lever
SLMPBS3F5			Adjustable plastic roller side push lever 18x6.2
SLMPBS3A1			Top push rod plunger
SLMPBS3B3			Metal top roller 90° push plunger
SLMPBS3B2			Metal top roller push plunger
SLMPBS3M3			Side rotary adjustable metal rod
SLMPBS3M4			Flexible rod

Note: Please refer page no. 75 & 76 for drawings and technical specifications

SLMB Series



SLMBS3D3



SLMBS3A2



SLMBS3F6



SLMBS3F7



SLMBS3A3



SLMBS3C3



SLMBS3B5



SLMBS3C4

Cat. No.	Housing & Entry	Contacts	Operating Head
SLMBS3D3	Metal Housing Bottom Entry	1 No + 1 NC Snap Action	Metal roller fixed side push lever
SLMBS3A2			Big top push rod plunger
SLMBS3F6			Adjustable metal roller lever Ø 17.5X 7MM
SLMBS3F7			Adjustable offset rubber Ø50X8 MM roller lever
SLMBS3A3			Top push metal rod
SLMBS3C3			Metal roller with metal plunger
SLMBS3B5			Double plastic roller side push plunger
SLMBS3C4			Double metal roller side push plunger

Note: Please refer page no. 77 for drawings and technical specifications

SLMS Series



SLMSBS3B4



SLMSBS3E3



SLMSBS3A1



SLMSBS3F6

Cat. No.	Housing & Entry	Contacts	Operating Head
SLMSBS3B4	Metal Housing Side Entry	1 No + 1 NC Snap Action	Metal side roller center actuation
SLMSBS3E3			Rubber Ø50X10MM roller lever plunger
SLMSBS3A1			Top push rod plunger
SLMSBS3F6			Adjustable metal roller lever Ø 17.5X 7mm

MLAS



MLASS3A1



MLASS3B2



MLASS3C4



MLASS3C0

Cat. No.	Housing & Entry	Contacts	Operating Head
MLASS3A1	Plastic Housing Side Entry	1 No + 1 NC Snap Action	Top push rod plunger operating position 21.8 MM
MLASS3B2			Top roller push plunger operating position 33.3 MM
MLASS3C4			Fixed lever plastic roller operating position 40 MM
MLASS3C0			Centre push with no lever operating position 25 MM

Note: Please refer page no. 78 & 79 for drawings and technical specifications



MLPB Series



MLPBS3A2



MLPBS3A3



MLPBS3C2



MLPBS3L3



MLPBS3C1



MLPBS3L4



MLPBS3E5

Cat. No.	Housing & Entry	Contacts	Operating Head
MLPBS3A2	Plastic Housing Bottom Entry	1 No + 1 NC Snap Action	Top push rod plunger operating position 21.5 MM
MLPBS3A3			Top push rod plunger operating position 21.8 MM
MLPBS3C2			Metal roller centre push lever operating position 33.4 MM
MLPBS3L3			Lever with operating position 19 MM
MLPBS3C1			Plastic roller centre push lever operating position 30.2 MM
MLPBS3L4			Diameter 1mm rod operating position 19 MM
MLPBS3E5			Angular movement plastic roller operating position 43.1 MM

Accessories for MLPB Series



CAP

Description	Cat. No.
PVC CAP	HB482000

Note: Please refer page no. 80 for drawings and technical specifications

MNPS Series



MNPS3100D



MNPS3101D



MNPS3103C



MNPS3100RD



MNPS3100GD

Cat. No.	Housing & Entry	Contacts	Operating Head
MNPS3100D	Plastic Housing Bottom Entry	1 No + 1 NC Snap Action	10A, button type with 187 terminal
MNPS3101D			10A, long handle type with 187 terminal
MNPS3103C			10A, long pulley type with 250 terminal
MNPS3100RD			10A, button type red head with 187 terminal
MNPS3100GD			10A, button type green head with 187 terminal

Note: Please refer page no. 81 for drawings and technical specifications