


**PRICE LIST**  
Effective from  
**JUNE 2024**



# ELETTRO®

Built For  
The Challenge





## Elettro: Your Reliable Source for Electrical Panel Accessories

**Introduction:-** Elettro is a reputable brand in the electrical industry, specializing in the production of a diverse range of high-quality electrical panel accessories. With a commitment to innovation, reliability, and customer satisfaction, Elettro has established itself as a leading provider of essential components for electrical panels. The company's website, <https://www.elettro.in> serves as a comprehensive platform where customers can explore their extensive product catalog and access valuable information and resources.

**Product Range:-** Elettro offers an impressive array of electrical panel accessories that cater to the needs of various industries and applications. Their product range includes air vents, junction boxes, flexible conduit pipes, cable ties and much more. From miniature components for compact panels to heavy-duty accessories for industrial setups, Elettro ensures that their offerings meet the highest standards of quality, performance, and safety.

**Quality and Reliability:-** Elettro quality and reliability are at the core of their operations. The company employs rigorous quality control measures throughout the manufacturing process to ensure that every product that leaves their facility meets stringent industry standards. By utilizing cutting-edge technology, superior materials, and advanced testing methods, Elettro guarantees the durability and performance of their electrical panel accessories, ensuring they can withstand demanding environments and provide reliable electrical connections.

**Innovation and Customization:-** Elettro understands the importance of staying ahead in a rapidly evolving industry. With a team of skilled engineers and designers, the company continuously innovates to develop new and improved products that meet the evolving needs of their customers. Furthermore, Elettro offers customization options, allowing clients to tailor their electrical panel accessories to specific requirements. This commitment to innovation and customization sets Elettro apart as a trusted partner for clients seeking specialized solutions.


**Conclusion:-** Elettro is a leading brand in the electrical industry, renowned for its extensive range of high-quality electrical panel accessories. With a commitment to quality, reliability, and innovation, the company has become a trusted partner for clients across diverse sectors. Whether you need components for residential, commercial, or industrial applications, Elettro's comprehensive product catalog and dedication to customer satisfaction make them the go-to choice for all your electrical panel accessory needs.

OUR  
COMMITMENT



# SELF LOCKING PA 66 CABLE TIES

CE ROHS HSN CODE: 39235090



**Note:**

- Price For Black Colour Cable Ties Will be 2.5% Additional
- Price For Coloured Cable Ties Will be 15% Additional
- Price For Weather Proof UV Cable Ties Will be 25% Additional
- Payment Terms 15 Days Credit From the Date of Invoice



| Technical Details |                             |
|-------------------|-----------------------------|
| • Material        | PA 66 UL Certified 94V-2    |
| • Operating Temp  | -10°C to 130°C              |
| • Oxygen Index    | 25% - 28%                   |
| • Smoke Density   | Flaming 35<br>No Flaming 13 |

| Cat. No.     | Nominal Overall Length |       | Strap Width |      | Max Bundle Cable Dia. |       | Thick-ness | Min Loop Tensile Strength |     | M.R.P. Rs. | Std. Pkg. | Std. Pkg. (PCS/PAC) |
|--------------|------------------------|-------|-------------|------|-----------------------|-------|------------|---------------------------|-----|------------|-----------|---------------------|
|              | d1 mm                  | inch  | d2 mm       | inch | mm                    | inch  |            | kgf                       | lbs |            |           |                     |
| ET 100 X 1.8 | 100                    | 4.0   | 1.8         | 0.07 | 20                    | 0.79  | 0.7        | 0.7                       | 16  | -----      | 100       | 600                 |
| ET 100 X 1.8 | 100                    | 4.0   | 1.8         | 0.07 | 20                    | 0.79  | 0.7        | 0.7                       | 16  | -----      | 1000      | 60                  |
| ET 100 X 2.5 | 100                    | 4.0   | 2.5         | 0.10 | 20                    | 0.79  | 0.9        | 0.8                       | 18  | 28.00      | 100       | 600                 |
| ET 100 X 2.5 | 100                    | 4.0   | 2.5         | 0.10 | 20                    | 0.79  | 0.9        | 0.8                       | 18  | 240.00     | 1000      | 60                  |
| ET 150 X 2.5 | 150                    | 6.0   | 2.5         | 0.10 | 35                    | 1.38  | 1.2        | 8                         | 18  | 38.00      | 100       | 400                 |
| ET 150 X 3.6 | 150                    | 6.0   | 3.6         | 0.14 | 35                    | 1.38  | 1.2        | 18                        | 40  | 62.00      | 100       | 300                 |
| ET 200 X 3.6 | 200                    | 8.0   | 3.6         | 0.14 | 45                    | 1.77  | 1.2        | 18                        | 40  | 76.00      | 100       | 200                 |
| ET 200 X 4.8 | 200                    | 8.0   | 4.8         | 0.19 | 45                    | 1.77  | 1.3        | 23                        | 50  | 107.00     | 100       | 150                 |
| ET 200 X 7.6 | 200                    | 8.0   | 7.6         | 0.30 | 45                    | 1.77  | 1.4        | 36                        | 80  | -----      | 100       | 80                  |
| ET 250 X 3.6 | 250                    | 10.0  | 3.6         | 0.14 | 65                    | 2.56  | 1.2        | 18                        | 40  | 98.00      | 100       | 150                 |
| ET 250 X 4.8 | 250                    | 10.0  | 4.8         | 0.19 | 60                    | 2.36  | 1.3        | 23                        | 50  | 129.00     | 100       | 150                 |
| ET 300 X 3.6 | 300                    | 12.0  | 3.6         | 0.14 | 75                    | 2.95  | 1.2        | 18                        | 40  | 113.00     | 100       | 150                 |
| ET 300 X 4.8 | 300                    | 12.0  | 4.8         | 0.19 | 75                    | 2.95  | 1.3        | 23                        | 50  | 159.00     | 100       | 150                 |
| ET 300 X 7.6 | 300                    | 12.0  | 7.6         | 0.30 | 75                    | 2.95  | 1.4        | 54.4                      | 120 | 317.00     | 100       | 60                  |
| ET 350 X 4.8 | 350                    | 14.0  | 4.8         | 0.19 | 90                    | 3.60  | 1.3        | 23                        | 50  | 195.00     | 100       | 120                 |
| ET 400 X 4.8 | 400                    | 16.0  | 4.8         | 0.19 | 105                   | 4.20  | 1.3        | 23                        | 50  | 225.00     | 100       | 90                  |
| ET 450 X 4.8 | 450                    | 18.0  | 4.8         | 0.19 | 115                   | 4.53  | 1.3        | 23                        | 50  | 265.00     | 100       | 60                  |
| ET 400 X 7.6 | 400                    | 16.0  | 7.6         | 0.30 | 100                   | 3.93  | 1.4        | 54.4                      | 120 | -----      | 100       | 60                  |
| ET 450 X 7.6 | 450                    | 18.0  | 7.6         | 0.30 | 115                   | 4.60  | 1.4        | 54.4                      | 120 | -----      | 100       | ----                |
| ET 550 X 7.6 | 550                    | 22.0  | 7.6         | 0.30 | 145                   | 5.80  | 1.4        | 54.4                      | 120 | -----      | 100       | ----                |
| ET 600 X 7.6 | 600                    | 23.63 | 7.6         | 0.30 | 148                   | 6.00  | 1.4        | 54.4                      | 120 | -----      | 100       | ----                |
| ET 650 X 7.6 | 650                    | 26.0  | 7.6         | 0.30 | 180                   | 7.20  | 1.4        | 54.4                      | 120 | -----      | 100       | ----                |
| ET 750 X 7.6 | 750                    | 30.0  | 7.6         | 0.30 | 220                   | 8.80  | 1.4        | 54.4                      | 120 | -----      | 100       | ----                |
| ET 920 X 9.0 | 920                    | 36.8  | 9.0         | 0.35 | 255                   | 10.20 | 1.55       | 80.0                      | 175 | -----      | 100       | ----                |

• Prices are on Request.

## TAG TYPE SERIES

HSN CODE: 39235090

| Cat. No.       | d1mm | inch | d2mm | inch | mm | inch | mm  | kgf | lbs | M.R.P. Rs. PerPacked | CTN Packed | Pieces Packed |
|----------------|------|------|------|------|----|------|-----|-----|-----|----------------------|------------|---------------|
| ET-T 100 X 2.5 | 100  | 4    | 2.5  | 0.10 | 20 | 0.79 | 0.9 | 8   | 18  | 100.00               | 400        | 100           |
|                |      |      |      |      |    |      |     |     |     | 950.00               | 40         | 1000          |



## SELF ADHESIVE TIE MOUNT

HSN CODE: 39269099



| Cat. No. | Size        | M.R.P. Rs. Per Packet | Std. Pkg. |
|----------|-------------|-----------------------|-----------|
| ETHD-19  | 19mm x 19mm | 225.00                | 100 Nos   |
| ETHD-25  | 25mm x 25mm | 330.00                | 100 Nos   |
| ETHD-40  | 40mm x 40mm | 510.00                | 100 Nos   |

Colour shade : White

3M gumming sticker on request.

## SCREW TYPE TIE MOUNT

HSN CODE: 39269099

| Cat. No.  | Size (mm)       | Mounting Method (mm) | For max. Cable Tie Width (mm) | M.R.P. Rs. Per/ Pc. | Std. Pkg. |
|-----------|-----------------|----------------------|-------------------------------|---------------------|-----------|
| ET 4 (PA) | 22.5 x 16 x 9.8 | 6mm Screw            | 8.5                           | 2.70                | 100 Nos   |



## S.S. 304/316 ROLLER BALL 4.6mm CABLE TIES

CE ROHS<sup>+</sup> HSN CODE 73269060



| Cat. No.         | Nominal Overall Length |       | Strap Width |      | Max. Diameter Single Loop |      | Thick-ness | Min Loop Tensile Strength |     | Std. Pkg. (Pcs/Pac) |
|------------------|------------------------|-------|-------------|------|---------------------------|------|------------|---------------------------|-----|---------------------|
|                  | mm                     | inch  | mm          | inch | mm                        | inch | mm         | kgf                       | lbs | PIECES/PAC          |
| ET-ST 100 X 4.6  | 100                    | 4     | 4.6         | 0.18 | 27                        | 1.1  | 0.25       | 68                        | 150 | 100                 |
| ET-ST 150 X 4.6  | 150                    | 6     | 4.6         | 0.18 | 43                        | 1.7  | 0.25       | 68                        | 150 | 100                 |
| ET-ST 200 X 4.6  | 200                    | 8     | 4.6         | 0.18 | 59                        | 2.3  | 0.25       | 68                        | 150 | 100                 |
| ET-ST 260 X 4.6  | 260                    | 10    | 4.6         | 0.18 | 75                        | 3.0  | 0.25       | 68                        | 150 | 100                 |
| ET-ST 300 X 4.6  | 300                    | 12    | 4.6         | 0.18 | 86                        | 3.4  | 0.25       | 68                        | 150 | 100                 |
| ET-ST 360 X 4.6  | 360                    | 14.40 | 4.6         | 0.18 | 97                        | 3.95 | 0.25       | 68                        | 150 | 100                 |
| ET-ST 400 X 4.6  | 400                    | 16    | 4.6         | 0.18 | 118                       | 4.60 | 0.25       | 68                        | 150 | 100                 |
| ET-ST 520 X 4.6  | 520                    | 20.80 | 4.6         | 0.18 | 140                       | 5.72 | 0.25       | 68                        | 150 | 100                 |
| ET-ST 620 X 4.6  | 620                    | 24.8  | 4.6         | 0.18 | 167                       | 6.82 | 0.25       | 68                        | 150 | 100                 |
| ET-ST 680 X 4.6  | 680                    | 27.20 | 4.6         | 0.18 | 183                       | 7.48 | 0.25       | 68                        | 150 | 100                 |
| ET-ST 840 X 4.6  | 840                    | 33.60 | 4.6         | 0.18 | 227                       | 9.25 | 0.25       | 68                        | 150 | 100                 |
| ET-ST 1000 X 4.6 | 1000                   | 40    | 4.6         | 0.18 | 270                       | 11.0 | 0.25       | 68                        | 150 | 100                 |

● Prices are on Request.

## S.S. 304/316 ROLLER BALL 7.9mm CABLE TIES

CE ROHS<sup>+</sup> HSN CODE 73269060

| Cat. No.         | Nominal Overall Length |       | Strap Width |      | Max. Diameter Single Loop |      | Thick-ness | Min Loop Tensile Strength |     | Std. Pkg. (Pcs/Pac) |
|------------------|------------------------|-------|-------------|------|---------------------------|------|------------|---------------------------|-----|---------------------|
|                  | mm                     | inch  | mm          | inch | mm                        | inch | mm         | kgf                       | lbs | PIECES/PAC          |
| ET-ST 100 X 7.9  | 100                    | 4     | 7.9         | 0.32 | 27                        | 1.1  | 0.25       | 136                       | 300 | 100                 |
| ET-ST 150 X 7.9  | 150                    | 6     | 7.9         | 0.32 | 43                        | 1.7  | 0.25       | 136                       | 300 | 100                 |
| ET-ST 200 X 7.9  | 200                    | 8     | 7.9         | 0.32 | 59                        | 2.3  | 0.25       | 136                       | 300 | 100                 |
| ET-ST 260 X 7.9  | 260                    | 10    | 7.9         | 0.32 | 75                        | 3.0  | 0.25       | 136                       | 300 | 100                 |
| ET-ST 300 X 7.9  | 300                    | 12    | 7.9         | 0.32 | 86                        | 3.4  | 0.25       | 136                       | 300 | 100                 |
| ET-ST 360 X 7.9  | 360                    | 14.40 | 7.9         | 0.32 | 97                        | 3.95 | 0.25       | 136                       | 300 | 100                 |
| ET-ST 400 X 7.9  | 400                    | 16    | 7.9         | 0.32 | 118                       | 4.60 | 0.25       | 136                       | 300 | 100                 |
| ET-ST 520 X 7.9  | 520                    | 20.80 | 7.9         | 0.32 | 140                       | 5.72 | 0.25       | 136                       | 300 | 100                 |
| ET-ST 620 X 7.9  | 620                    | 24.8  | 7.9         | 0.32 | 167                       | 6.82 | 0.25       | 136                       | 300 | 100                 |
| ET-ST 680 X 7.9  | 680                    | 27.20 | 7.9         | 0.32 | 183                       | 7.48 | 0.25       | 136                       | 300 | 100                 |
| ET-ST 840 X 7.9  | 840                    | 33.60 | 7.9         | 0.32 | 227                       | 9.25 | 0.25       | 136                       | 300 | 100                 |
| ET-ST 1000 X 7.9 | 1000                   | 40    | 7.9         | 0.32 | 270                       | 11.0 | 0.25       | 136                       | 300 | 100                 |



● Prices are on Request.

## AIR- VENT

(VALUE & ECONOMIC SERIES)

CE ROHS HSN CODE: 84213100

| Cat. No.    | Size                                       | M.R.P. Rs. | Std.Pkg. |
|-------------|--------------------------------------------|------------|----------|
| ETAV-01     | 130mmX130mm (SCREW FIT)                    | 54.00      | 300 Nos  |
| ETAV-01 VP  | 130mmX130mm(SCREW FIT) <b>(VP-10 Nos.)</b> | 480.00     | 30 Packs |
| ETAV-02     | 147mmX147mm (SNAP FIT)                     | 81.00      | 200 Nos  |
| ETAV-02 VP  | 147mmX147mm (SNAP FIT) <b>(VP-10 Nos.)</b> | 755.00     | 24 Packs |
| ETAV-03     | 184mmX184mm (SCREW FIT)                    | 157.00     | 150 Nos  |
| ETAV-03 VP  | 184mmX184mm (SCREW FIT) <b>(VP-10 Nos)</b> | 1325.00    | 16 Packs |
| ETAV-04     | 203mmX203mm (SNAP FIT)                     | 190.00     | 100 Nos  |
| ETAV-04 VP  | 203mmX203mm (SNAP FIT) <b>(VP-10 Nos.)</b> | 1750.00    | 12 Packs |
| ETAV-05     | 238mmX238mm (SCREW FIT )                   | 280.00     | 60 Nos   |
| ETAV-05 VP  | 238mmX238mm (SCREW FIT) <b>(VP-5 Nos.)</b> | 1300.00    | 12 Packs |
| ETAV-06     | 255mmX255mm (SNAP FIT)                     | 350.00     | 60 Nos   |
| ETAV-06 VP  | 255mmX255mm (SNAP FIT) <b>(VP-5 Nos.)</b>  | 1670.00    | 12 Packs |
| ETAV-09     | 325mmX325mm (SNAP FIT)                     | 615.00     | 25 Nos   |
| ETAV-10     | 117mmx117mm (SNAP FIT)                     | 75.00      | 150 Nos  |
| ETAV-11     | 90mmX90mm (SCREW FIT)                      | 55.00      | 200 Nos  |
| ETAV-204/DT | 204mmX204mm (DOOM TYPE )                   | 275.00     | 50 Nos   |
| ETAV-255/DT | 255mmX255mm (DOOM TYPE )                   | 435.00     | 50 Nos   |
| ETAD-285    | 285mmX285mm (SCREW FIT ) <b>(ADAPTOR )</b> | 140.00     | 50 Nos   |



Colour Shade- RAL7035 /RAL7032  
COLOUR ON REQUEST RAL 9005(BLACK)

## AIR- VENT (OVAL DESIGN)

(PREMIUM SERIES)

CE ROHS HSN CODE: 84213100



| Cat. No.        | Size                       | M.R.P. Rs. | Std.Pkg. |
|-----------------|----------------------------|------------|----------|
| ETAV-130/4      | 130mm x 130mm (SCREW FIT)  | 60.00      | 300 Nos  |
| ETAV-150/SF-4   | 150mm x 150mm (SNAP FIT)   | 95.00      | 200 Nos  |
| ETAV-184/6      | 184mm x 184mm (SCREW FIIT) | 180.00     | 150 Nos  |
| ETAV-204/SF-4/6 | 204mm x 204mm (SNAP FIT)   | 205.00     | 100 Nos  |
| ETAV-238/8      | 238mm x 238mm (SCREW FIT)  | 300.00     | 60 Nos   |
| ETAV-255/SF-6/8 | 255mm x 255mm (SNAP FIT)   | 375.00     | 60 Nos   |

Colour Shade- RAL7035 COLOUR ON REQUEST RAL 9005(BLACK)

## AIR- VENT (OVAL DESIGN)

(WITH E.P.D.M GASKETING)

CE ROHS IP54 IP55 HSN CODE: 84213100

| Cat. No.            | Size                      | M.R.P. | Std.Pkg. |
|---------------------|---------------------------|--------|----------|
| ETAV-150/SF-4 EG    | 150mm x 150mm             | 130.00 | 150 Nos  |
| ETAV-204/SF-4/6 EG  | 204mm x 204mm             | 270.00 | 100 Nos  |
| ETAV-255/SF-6/8EG   | 255mm x 255mm             | 430.00 | 50 Nos   |
| ETAV-117/SF-3/3.5EG | 117mm x 117mm             | 95.00  | 150 Nos  |
| ETAV-204/DT-1EG     | 204mm x 204mm (Doom Type) | 320.00 | 50 Nos   |
| ETAV-255/DT-1EG     | 255mm x 255mm (Doom Type) | 480.00 | 50 Nos   |

Colour Shade- RAL7035 COLOUR ON REQUEST RAL 9005(BLACK)



# JUNCTION BOX

CE ROHS IP65 HSN CODE: 85359040

## JUNCTION BOX W/O Connector IP-65

| Cat. No.  | Size                  | M.R.P. Rs. | Std.Pkg. |
|-----------|-----------------------|------------|----------|
| ET - 9020 | 88mm x 88mm x 53mm    | 150.00     | 150 Nos  |
| ET - 9040 | 98mm x 98mm x 61mm    | 165.00     | 150 Nos  |
| ET - 9060 | 139mm x 119mm x 70mm  | 255.00     | 50 Nos   |
| ET - 9100 | 167mm x 125mm x 82mm  | 375.00     | 30 Nos   |
| ET - 9250 | 200mm x 160mm x 98mm  | 665.00     | 30 Nos   |
| ET - 9350 | 260mm x 210mm x 117mm | 1340.00    | 10Nos    |



## JUNCTION BOX With Brass Connector IP-65

| Cat. No.   | Size                             | M.R.P. Rs. | Std.Pkg. |
|------------|----------------------------------|------------|----------|
| ET - 9020E | 88mm x 88mm x 53mm (2.5 Sq.mm)   | 190.00     | 150 Nos  |
| ET - 9040E | 98mm x 98mm x 61mm (4/6 Sq.mm)   | 210.00     | 150 Nos  |
| ET - 9060E | 139mm x 119mm x 70mm (10 Sq.mm)  | 320.00     | 50 Nos   |
| ET - 9100E | 167mm x 125mm x 82mm (16 Sq.mm)  | 715.00     | 30 Nos   |
| ET - 9250E | 200mm x 160mm x 98mm (16 Sq.mm)  | 1140.00    | 30 Nos   |
| ET - 9350E | 260mm x 210mm x 117mm (25 Sq.mm) | 1700.00    | 10Nos    |

Colour Shade - RAL-7035 Material: A.B.S.


CE ROHS IP55 IP65 HSN CODE: 85359040



Colour Shade - RAL-7035 Material: A.B.S.

| Cat. No.    | Size                  | Without Grommet M.R.P. Rs. | Transparent M.R.P. Rs. | Std.Pkg. |
|-------------|-----------------------|----------------------------|------------------------|----------|
| ET - 10107  | 100mm x 100mm x 70mm  | 86.00                      | 132.00                 | 200 Nos  |
| ET - 15117  | 150mm x 110mm x 70mm  | 145.00                     | 193.00                 | 75 Nos   |
| ET - 15157  | 150mm x 150mm x 70mm  | 170.00                     | 220.00                 | 75Nos    |
| ET - 20107  | 200mm x 100mm x 70mm  | 173.00                     | 231.00                 | 50 Nos   |
| ET - 20168  | 200mm x 155mm x 80mm  | 225.00                     | 285.00                 | 50 Nos   |
| ET - 26208  | 255mm x 200mm x 80mm  | 325.00                     | 440.00                 | 30 Nos   |
| ET - 302512 | 300mm x 250mm x 120mm | 650.00                     | 1000.00                | 20 Nos   |
| ET - 302515 | 300mm x 250mm x 150mm | 720.00                     | 1100.00                | 10 Nos   |
| ET - 403512 | 400mm x 350mm x 120mm | 1500.00                    | 1800.00                | 7 Nos    |

CE ROHS IP67 HSN CODE: 85359040



Colour Shade - RAL-7035 Material: A.B.S.

| Cat No. | Size              | With Gourmet M.R.P. Rs. | Transparent M.R.P. Rs. | Std. Pkg. |
|---------|-------------------|-------------------------|------------------------|-----------|
| ET-6001 | 110mmX110mmX110mm | 250.00                  | 300.00                 | 50 Nos    |
| ET-6002 | 155mmX115mmX110mm | 310.00                  | 375.00                 | 50 Nos    |

## DISTRIBUTION BOX

CE ROHS IP65 HSN CODE: 85359040



Colour Shade - RAL-7035 Material: A.B.S.

| Cat. No.         | Size          | M.R.P. Rs. | Std.Pkg. |
|------------------|---------------|------------|----------|
| ETDB -02 (2Way)  | 120mm x 53mm  | 175.00     | 150 Nos  |
| ETDB -05 (5Way)  | 159mm x 119mm | 235.00     | 150 Nos  |
| ETDB -08 (8Way)  | 201mm x 153mm | 410.00     | 50 Nos   |
| ETDB -12 (12Way) | 167mm x 125mm | 760.00     | 30 Nos   |
| ETDB -18 (18Way) | 360mm x 194mm | 1650.00    | 30 Nos   |
| ETDB -24 (24Way) | 357mm x 271mm | 2000.00    | 30 Nos   |

## CAMERA BOX

CE ROHS HSN CODE: 85359040

| Cat. No. | Size             | M.R.P. Rs. | Std. Pack |
|----------|------------------|------------|-----------|
| ETCB-01  | 100mmx100mmx70mm | 57.00      | 200 NOS   |
| ETCB-02  | 100mmx100mmx50mm | 30.00      | 360 NOS   |



Colour Shade - White Material: P.P.

## FAN FINGER GUARD

CE ROHS HSN CODE: 84149090



Colour Shade - Black Screw Fit Material: A.B.S.


| Cat. No. | Size                      | M.R.P. Rs. | Std.Pkg. |
|----------|---------------------------|------------|----------|
| ETFG-01  | 4" Square (120mm x 120mm) | 11.00      | 500 Nos  |
| ETFG-02  | 6" Oval (172mm x 150mm)   | 21.00      | 300 Nos  |
| ETFG-03  | 6" Square (172mm x 172mm) | 21.00      | 300 Nos  |
| ETFG-04  | 8" Round (200 Ømm)        | 35.00      | 300 Nos  |
| ETFG-05  | 8" Square (220mm x 220mm) | 35.00      | 300 Nos  |
| ETFG-06  | 3" Square (80mm x 80mm)   | 9.50       | 500 Nos  |
| ETFG-07  | 3.5" Square (92mm x 92mm) | 10.00      | 500Nos   |

## METAL FAN FINGER GUARD

CE ROHS HSN CODE 84149040

● Prices are on Request.


| Cat. No. | Size                         | Std.Pkg. |
|----------|------------------------------|----------|
| ETMG-01  | 4" Square (1.6 Thk -8 Ring)  | 1000 Nos |
| ETMG-02  | 6" Oval (1.6 Thk -7 Ring)    | 400 Nos  |
| ETMG-03  | 6" Square (1.6 Thk -8 Ring)  | 200 Nos  |
| ETMG-04  | 8" Oval (1.6 Thk -11 Ring)   | 200 Nos  |
| ETMG-05  | 8" Square (1.6 Thk -11 Ring) | 200 Nos  |
| ETMG-08  | 10" Square(1.6 Thk -14 Ring) | 100 Nos  |
| ETMG-06  | 3" Square(1.6 Thk -6 Ring)   | 1000 Nos |
| ETMG-07  | 3.5" Square(1.6 Thk -8 Ring) | 1000 Nos |



Colour Shade - Crome plated Screw Fit Material: M.S.


# POLYAMIDE FLEXIBLE CONDUIT & SLITTED CONDUIT

HSN CODE 39172190



DIMENSION DRAWING & TECHNICAL DETAILS

| Technical Details : |                                                                             |
|---------------------|-----------------------------------------------------------------------------|
| Material            | Polyamide 6                                                                 |
| Flexural Strength   | 950 kg / cm <sup>2</sup>                                                    |
| Flexural Modulus    | 26,000 kg / cm <sup>2</sup>                                                 |
| Tensile Strength    | 700 kg / cm <sup>2</sup>                                                    |
| Impact Strength     | 25 kg / cm <sup>2</sup>                                                     |
| Temperature Range   | -40°C to +105°C Continuous, +150°C Short Term                               |
| Resistant           | Alcohol, Benzol, Greases, Mineral Oil, Diesel Fuel, Sea Water, Petrol, etc. |
| Protection Class    | IP 67                                                                       |
| Approvals           | CE ROHS                                                                     |



## POLYAMIDE FLEXIBLE PIPE

## POLYAMIDE FLEXIBLE SLITTED PIPE

| Cat. No. | Conduit Gland Size | I.D. d1 (mm) | O.D. d2 (mm) | Bending Radius R (mm) + 10% | M.R.P. Rs. | Std.Pkg. mtr. |
|----------|--------------------|--------------|--------------|-----------------------------|------------|---------------|
| ETP-10   | ETG-7              | 6.4          | 10.0         | 20                          | 20.00      | 1000          |
| ETP-13.5 | ETG-9              | 9.6          | 13.0         | 30                          | 24.00      | 1000          |
| ETP-16   | ETG-11             | 11.8         | 15.8         | 40                          | 32.00      | 500           |
| ETP-18.5 | ETG-13.5           | 14.3         | 18.5         | 42                          | 37.00      | 500           |
| ETP-22   | ETG-16             | 15.9         | 21.2         | 45                          | 45.00      | 500           |
| ETP-28   | ETG-21             | 21.7         | 28.5         | 55                          | 69.00      | 300           |
| ETP-34   | ETG-29             | 27.8         | 34.5         | 60                          | 90.00      | 250           |
| ETP-42   | ETG-36             | 36.0         | 42.5         | 65                          | 135.00     | 125           |
| ETP-54   | ETG-48             | 48.3         | 54.5         | 80                          | 250.00     | 100           |

# P.P. FLEXIBLE CONDUIT

HSN CODE 39172190

● Prices are on Request.

| Cat. No. Black | Cat. No. White | Size  | Maximum O.d.(mm) | Maximum I. D.(mm) | Tolerance On O.d.(mm) | Std.Pkg. mtr. |
|----------------|----------------|-------|------------------|-------------------|-----------------------|---------------|
| ET-PP-10       | ET-PP-10       | PG-10 | 10.0             | 7.0               | -0.1                  | 1000          |
| ET-PP-16       | ET-PP-16       | PG-16 | 16.0             | 10.7              | -0.3                  | 500           |
| ET-PP-20       | ET-PP-20       | PG-20 | 20.0             | 14.1              | -0.3                  | 500           |
| ET-PP-25       | ET-PP-25       | PG-25 | 25.0             | 18.3              | -0.4                  | 500           |
| ET-PP-32       | ET-PP-32       | PG-32 | 32.0             | 24.3              | -0.4                  | 250           |
| ET-PP-40       | ET-PP-40       | PG-40 | 40.0             | 31.2              | -0.4                  | 125           |
| ET-PP-50       | ET-PP-50       | PG-50 | 50.0             | 39.6              | -0.5                  | 100           |




# POLYAMIDE FLEXIBLE CONDUIT CLAMP

HSN CODE 39172190



|                   |                                                                             |
|-------------------|-----------------------------------------------------------------------------|
| Material          | Polyamide 6                                                                 |
| Temperature Range | -40°C to +105°C Continuous, +150°C Short Term                               |
| Resistant         | Alcohol, Benzol, Greases, Mineral Oil, Diesel Fuel, Sea Water, Petrol, etc. |
| Approvals         | CE ROHS                                                                     |



| Cat. No. | Clamp Size | A mm  | A 1 mm | B mm  | B1 mm | D mm  | D 1 mm | H mm CTC | H1 mm CTC | R1 mm | M.R.P. Rs. | Std.Pkg. |
|----------|------------|-------|--------|-------|-------|-------|--------|----------|-----------|-------|------------|----------|
| ETC-7    | ETP-10     | ----- | -----  | ----- | ----- | ----- | -----  | -----    | -----     | ----- | -----      | -----    |
| ETC-9    | ETP-13.5   | 24.00 | 18.00  | 10.00 | 28.00 | 23.00 | 26.00  | -----    | 20.00     | 10.00 | 15.00      | 100      |
| ETC-11   | ETP-16     | 28.00 | 22.00  | 14.00 | 32.00 | 24.00 | 28.00  | -----    | 24.00     | 14.00 | 17.00      | 100      |
| ETC-13.5 | ETP-18.5   | 30.00 | 25.00  | 14.00 | 34.00 | 25.00 | 30.00  | -----    | 24.00     | 15.00 | 18.00      | 100      |
| ETC-16   | ETP-22     | 34.00 | 28.00  | 14.00 | 34.00 | 22.00 | 34.00  | -----    | 26.00     | 20.00 | 19.00      | 100      |
| ETC-21   | ETP-28     | 39.00 | 39.00  | 14.00 | 38.00 | 40.00 | 44.00  | -----    | 27.00     | 25.00 | 22.00      | 50       |
| ETC-29   | ETP-34     | 45.00 | 45.00  | 14.00 | 38.00 | 44.00 | 50.00  | 36.00    | 27.00     | 33.00 | 38.00      | 50       |
| ETC-36   | ETP-42     | 55.00 | 55.00  | 14.00 | 41.00 | 53.50 | 59.00  | 37.00    | 27.00     | 40.50 | 43.00      | 25       |
| ETC-48   | ETP-54     | 70.00 | 70.00  | 14.00 | 41.00 | 65.00 | 73.00  | 57.00    | 27.00     | 48.00 | 60.00      | 25       |


## POLYAMIDE CONDUIT GLAND

CE ROHS<sup>+</sup> HSN CODE 39172190

### Technical Details :

|                   |                                               |                                                                             |
|-------------------|-----------------------------------------------|-----------------------------------------------------------------------------|
| Material          | Polyamide 6                                   | Resistant                                                                   |
| Temperature Range | -40°C to +105°C Continuous, +150°C Short Term | Alcohol, Benzol, Greases, Mineral Oil, Diesel Fuel, Sea Water, Petrol, etc. |

● Prices are on Request.



| Cat. No. | Conduit Size | (AG) mm | (AG) mm Thread Length | (GL)mm | (H) mm | Std.Pkg. |
|----------|--------------|---------|-----------------------|--------|--------|----------|
| ETG-7    | ETP-10       | 12.3    | 6.5                   | 11.5   | 18.0   | 100 Nos  |
| ETG-9    | ETP-13.5     | 15.0    | 10.0                  | 11.5   | 19.0   | 100 Nos  |
| ETG-11   | ETP-16       | 18.4    | 12.5                  | 12.0   | 23.0   | 100 Nos  |
| ETG-13.5 | ETP-18.5     | 20.2    | 14.3                  | 12.0   | 12.0   | 100 Nos  |
| ETG-16   | ETP-22       | 22.3    | 17.0                  | 13.0   | 27.0   | 100 Nos  |
| ETG-21   | ETP-28       | 28.0    | 23.0                  | 13.0   | 33.0   | 50 Nos   |
| ETG-29   | ETP-34       | 36.7    | 29.0                  | 15.0   | 35.0   | 25 Nos   |
| ETG-36   | ETP-42       | 46.7    | 36.0                  | 15.0   | 38.5   | 20 Nos   |
| ETG-48   | ETP-54       | 59.0    | 53.0                  | 16.0   | 39.0   | 10 Nos   |

## POLYAMIDE FLEXIBLE CONDUIT METRIC GLANDS

● Prices are on Request.

CE ROHS<sup>+</sup> HSN CODE 39172190

### Technical Details :

|                   |                                               |                                                                             |
|-------------------|-----------------------------------------------|-----------------------------------------------------------------------------|
| Material          | Polyamide 6                                   | Resistant                                                                   |
| Temperature Range | -40°C to +105°C Continuous, +150°C Short Term | Alcohol, Benzol, Greases, Mineral Oil, Diesel Fuel, Sea Water, Petrol, etc. |


| Cat. No.              | Conduit Gland Size | Inner Diameter D1 (mm) | Outer Diameter D2 (mm) | Std.Pkg. |
|-----------------------|--------------------|------------------------|------------------------|----------|
| ETMG-16               | ETG-7              | 6.4                    | 10.0                   | 100 Nos  |
| ETMG-20 M-20 (M-15.8) | ETG-9              | 9.6                    | 13.0                   | 100 Nos  |
| ETMG-20 M-20 (M-21.2) | ETG-11             | 11.8                   | 15.8                   | 100 Nos  |
| ETMG-25 M-25 (M-21.2) | ETG-13.5           | 14.3                   | 18.5                   | 100 Nos  |
| ETMG-32 M-32          | ETG-16             | 15.9                   | 21.2                   | 50 Nos   |
| ETMG-40 M-40          | ETG-21             | 21.7                   | 28.5                   | 50 Nos   |
| ETMG-50 M-50          | ETG-29             | 27.8                   | 34.5                   | 50 Nos   |
| ETMG-63 M-63          | ETG-36             | 36.0                   | 42.5                   | 50 Nos   |



## POLYAMIDE FLEXIBLE CONDUIT 90° ELBOW GLANDS

HSN CODE 39172190

● Prices are on Request.



| Cat. No.  | Thread (PG) | Conduit Pipe Entry AD (mm) | Threads TL (mm) | Std.Pkg. |
|-----------|-------------|----------------------------|-----------------|----------|
| ELEG-7    | PG 7        | 10.0                       | 10.0            | 100 Nos  |
| ELEG-9    | PG 9        | 13.0                       | 10.0            | 100 Nos  |
| ELEG-11   | PG 11       | 15.8                       | 10.0            | 100 Nos  |
| ELEG-13.5 | PG 13.5     | 18.5                       | 11.0            | 100 Nos  |
| ELEG-16   | PG 16       | 21.2                       | 12.0            | 50 Nos   |
| ELEG-21   | PG 21       | 28.5                       | 12.0            | 50 Nos   |
| ELEG-29   | PG 29       | 34.5                       | 12.0            | 50 Nos   |
| ELEG-36   | PG 36       | 42.5                       | 12.0            | 50 Nos   |
| ELEG-48   | PG 48       | 54.5                       | 14.0            | 50 Nos   |

## SELECTION CHART FOR CONDUIT GLAND/CLAMP



| CONDUIT PIPE CAT. NO. | CONDUIT GLAND CAT. NO. | CONDUIT CLAMP CAT. NO. |
|-----------------------|------------------------|------------------------|
| ETP-10                | ETG-7                  | ETC-7                  |
| ETP-13.5              | ETG-9                  | ETC-9                  |
| ETP-16                | ETG-11                 | ETC-11                 |

| CONDUIT PIPE CAT. NO. | CONDUIT GLAND CAT. NO. | CONDUIT CLAMP CAT. NO. |
|-----------------------|------------------------|------------------------|
| ETP-18.5              | ETG-13.5               | ETC-13.5               |
| ETP-22                | ETG-16                 | ETC-16                 |
| ETP-28                | ETG-21                 | ETC-21                 |

| CONDUIT PIPE CAT. NO. | CONDUIT GLAND CAT. NO. | CONDUIT CLAMP CAT. NO. |
|-----------------------|------------------------|------------------------|
| ETP-34                | ETG-29                 | ETG-29                 |
| ETP-42                | ETG-36                 | ETG-36                 |
| ETP-54                | ETG-48                 | ETG-48                 |


# TOGGLE SWITCHES

CE ROHS HSN CODE: 85361010


## 6A/10A /15A 250AC SINGLE & DOUBLE POLE



### SINGLE POLE UNSEALED



### DOUBLE POLE UNSEALED



### Electrical and Mechanical Specifications

- Housing material : Polybutylene Terephthalate (PBT)
- Rated and uninterrupted current : 6A, 10 A, 15A, & 20A
- Rated operating frequency : 50 Hz/60 Hz
- Rated operating voltage : 250 V. AC
- Ambient temperature : -10°C to 55°C
- Rated impulse voltage : 1.5 Kv for one minute

# PANEL DOOR SWITCHES

### Electrical and Mechanical Specifications

- Operations : Push-to-ON and Push-to-OFF
- Rated operating voltage : 250 V. AC
- Ambient temperature : -10°C to 55°C
- Rated impulse voltage : 1.5 Kv for one minute
- Contact resistance : <20 milli Ω
- Operating force: 0.8 kg (Max)
- Housing Material : (ABS) plastic
- Rated & uninterrupted current : 2A and 5A
- Rated operating frequency : 50 Hz/60 Hz
- Insulation resistance : >20 Mega Ω
- Mounting : M14 Brass and Aluminium Nuts
- Housing Shade : White, Black and Grey.
- Mechanical Life : 50,000 operations



| Cat. No. | Colour        | M.R.P. Rs. | Std.Pkg. |
|----------|---------------|------------|----------|
| ETDS-01  | White & Black | 44.00      | 1000 Nos |

# PUSH BUTTON STATION

CE ROHS HSN CODE: 85359090



Colour shade BLACK & Top White

Material: A.B.S.

| Cat. No. | Size                | Item | M.R.P. Rs. | Std.Pkg. |
|----------|---------------------|------|------------|----------|
| ETPB-01  | 73mm x 73mm x 68mm  | 1Way | 53.00      | 200 Nos  |
| ETPB-02  | 113mm x 73mm x 68mm | 2Way | 68.00      | 150 Nos  |
| ETPB-03  | 153mm x 73mm x 68mm | 3Way | 88.00      | 100 Nos  |
| ETPB-04  | 192mm x 73mm x 68mm | 4Way | 106.00     | 80 Nos   |
| ETPB-06  | 252mm x 73mm x 68mm | 6Way | 185.00     | 50 Nos   |

# DOCUMENT HOLDER

CE ROHS HSN CODE: 39261019

◆ With adhesive Double sided tape


| Cat. No. | Size                               | M.R.P. Rs. | Std.Pkg. |
|----------|------------------------------------|------------|----------|
| ETDH-01  | 188mm x 185mm x 20mm Deep          | 65.00      | 100 Nos  |
| ETDH-02  | 258mm x 235mm x 35 Deep (A-4 Size) | 125.00     | 50 Nos   |
| ETDH-03  | 282mm x 236mm x 17 Deep (A-4 Size) | 115.00     | 100 Nos  |



**ETDH-01** **ETDH-02** **ETDH-03**  
Colour Shade - RAL-7035 Screw Fit Material: A.B.S.

# OTHER ACCESSORIES

HSN CODE: 39269099



**ETPL-06** **ETPL-07** **ETPL-07-1** **ETPL-09**

| Sr. No. | Cat. No.  | Size                            | M.R.P. Rs. | Std. Pack |
|---------|-----------|---------------------------------|------------|-----------|
| 1       | ETPL-06   | 135mm x 25mm x 40mm (115mm CTC) | 30.00      | 500 Nos   |
| 2       | ETPL-07   | 94mm x 42mm x 17mm (94mm)       | 20.00      | 1000 Nos  |
| 3       | ETPL-07-1 | 109mm x 51mm x 25mm (109mm)     | 33.00      | 500 Nos   |
| 4       | ETPL-09   | 96mm x 9Ømm x 25mm (90mm )      | 10.00      | 500 Nos   |
| 5       | ETSL-01   | 45mm x 28mm x 15mm              | 13.00      | 2000 Nos  |
| 6       | ETBL-01   | Ø22.5mm Thrd. x 18mm H. Blanker | 6.00       | 2000 Nos  |
| 7       | ETLP-01   | (25 X11) Ø 22.2mm Legend Plate  | -----      | 2000 Nos  |
| 8       | ETLP-02   | (25 X18) Ø 22.2mm Legend Plate  | -----      | 2000 Nos  |
| 9       | ETHL-01   | (50mm x 70mm) with ss pin       | 79.00      | 500 Nos   |
| 10      | ETEC-101  | END CLAMP / STOPPER             | 10.00      | 2500 Nos  |

◆ Prices are on Request.



**ETSL-01** GRAY / BLACK Colour **ETBL-01**



**ETLP-01** **ETLP-02**



**ETHL-01** GRAY / BLACK Colour **ETEC-101** Suitable for Din Rail 35mm

# SELF ADHESIVE GASKET TAPE

CE ROHS HSN CODE: 39199020



White Eva Foam Also Available as per Request Kindly note  
Price will be High By 7.5% on the above Prices

## INDUSTRIAL FOAM GASKET TAPE

### PRODUCT SPECIFICATIONS

- Self Life : 1 Years
- Adhesive Side : Single Side
- Peeling Strength : >550gms / 25mm
- Material : EVA FOAM
- Tape Type : Single Side Gasket Type
- Adhesive Type : Pressure Sensitive
- Colour : Black
- Prices are on Request.

| STD PACKING |                |
|-------------|----------------|
| Thickness   | 2mm & 3mm      |
| Length      | 10Mtr Per Roll |
| Width       | Qty. Per Ctn.  |
| 12mm        | 300 Rolls      |
| 15mm        | 240Rolls       |
| 20mm        | 180 Rolls      |
| 25mm        | 144 Rolls      |
| 30mm        | 120 Rolls      |
| 40mm        | 90 Rolls       |
| 50mm        | 72 Rolls       |

| STD PACKING |                |
|-------------|----------------|
| Thickness   | 4,5 & 6mm      |
| Length      | 10Mtr Per Roll |
| Width       | Qty. Per Ctn.  |
| 12mm        | 180 Rolls      |
| 15mm        | 160 Rolls      |
| 20mm        | 120 Rolls      |
| 25mm        | 96 Rolls       |
| 30mm        | 80 Rolls       |
| 40mm        | 60 Rolls       |
| 50mm        | 48 Rolls       |

### PRODUCT SPECIFICATIONS

- Use commonly in sealing Industrial electrical panels, compartments with application even in Bus & Truck body, these Tape most commonly use EVA Foam as the substrate and are coated with an Acrylic Adhesive , Commonly Available in Black Colour .
- Thickness : 3mm, 5mm & 6mm ,
- Widths : 12mm to 100mm.

| STD PACKING |               |
|-------------|---------------|
| Thickness   | 8mm & 10mm    |
| Length      | 5Mtr Per Roll |
| Width       | Qty. Per Ctn. |
| 12mm        | 180 Rolls     |
| 15mm        | 160 Rolls     |
| 20mm        | 120 Rolls     |
| 25mm        | 96 Rolls      |
| 30mm        | 80 Rolls      |
| 40mm        | 60 Rolls      |
| 50mm        | 48 Rolls      |



# ELETTRO®

Built For  
The Challenge

Authorised Dealer