

Pricelist 2024

Effective from 1st April 2024

Index

- Wireless Push Button Indicator and Controller...3
- Tower Light & Andon System.....4-7
- Buzzer & Hooter.....8
- 16mm Push Button.....9
- Crane Pendant.....10
- LED Panel Lights.....11
- Machine Lights.....12
- Limit Switches.....13-14
- Elevator.....15
- Accessories.....16



Wireless Push Button, Indicator & Controller

Wireless Push Button (Range 300 Meter)

	Sr. No	Item	Part No.	MRP (INR)
	1	Transmitter (1 Push Button with 23A Alkaline Battery)	IRPLACD05	9000
	2	Receiver 24V DC with 2 NO Relay (6A)	IRFLZDD03	

with obstacles 100mtr, without obstacles 300mtr

Temperature Indicator

	Sr. No	Item	Part No.	MRP (INR)
	1	Temperature Indicator 22.5mm DIA 240V AC with Sensor 1mtr Cable	ETAR240A	700

Voltage Indicator

	Sr. No	Item	Part No.	MRP (INR)
	1	Voltage Indicator 22.5mm DIA 240V AC	EVTR240A	390

Humidity Controller

	Sr. No	Item	Part No.	MRP (INR)
	1	Humidity Controller Dinrail Mount 24-240V AC/DC with Inbuilt Sensor	ICD01VAHR224C	2950

Tower Lights & Andon System

Pro Tower Lights (Pre-Wired) - 50mm Diameter



Tower Light (12V AC/DC, 24V AC/DC, 110V AC, 240V AC)			
	Permanent Illumination	With Buzzer	Without Buzzer
Normal Base (60mm and 110mm)	Single Colour	1315	1005
	Two Colour	1837	1527
	Three Colour	2353	2043
	Four Colour	2878	2568
	Five Colour	3397	3087

Description (50mm Diameter Tower Light)	Part No.
3 Colour without Buzzer 24V AC/DC	TW15U1100L
3 Colour with Buzzer 24V AC/DC	TW15U11Z10L
3 Colour without Buzzer 240V AC	TW15X1100L
3 Colour with Buzzer 240V AC	TW15X11Z1L

* For Customised Tower Light Please contact our Sales Team for Pricing

* For L Clamp Tower Light please contact our Sales Team for Pricing.

Pro Tower Lights (Pre-Wired) - 70mm Diameter



Tower Light (12V AC/DC, 24V AC/DC, 110V AC, 240V AC)			
	Permanent Illumination	With Buzzer	Without Buzzer
Normal Base (60mm and 110mm)	Single Colour	1565	1255
	Two Colour	2087	1777
	Three Colour	2603	2293
	Four Colour	3128	2818
	Five Colour	3647	3337

Description (70mm Diameter Tower Light)	Part No.
3 Colour without Buzzer 24V AC/DC	TW16U1100L
3 Colour with Buzzer 24V AC/DC	TW16U11Z10L
3 Colour without Buzzer 240V AC	TW16X1100L
3 Colour with Buzzer 240V AC	TW16X11Z1L

STACKABLE TOWER LIGHTS (Modular Type) - IP65 & UL Approved



Siren Flasher - 100 dB Sound Output



Voltage	Part No.	MRP (INR)
240V AC	IA12M34R240A	2041
110V AC	IA12M34R110A	2041
24V DC	IA12M34R024D	2041

Siren-100 dB Sound Output



Voltage	Part No.	MRP (INR)
240V AC	IA00040C240A	1333
110V AC	IA00040C110A	1333
24V DC	IA00040C024C	1333

Tower Light (12V AC/DC, 24V AC/DC, 110V AC, 240V AC)			
	Permanent Illumination	With Buzzer	Without Buzzer
Normal Base (60mm and 110mm)	Single Colour	1890	1119
	Two Colour	2469	1697
	Three Colour	3048	2271
	Four Colour	NA	2854

For Customised Tower Light Refer Below Prices

Tower Light Without Buzzer		
No. of Stack	Tower Light Description	MRP (INR)
1 Stack Tower Light Without Buzzer		
1	Single Unit Permanent	1119
1	Single Unit Blinking	1272
1	Single Unit Revolving	1472
2 Stack Tower Light Without Buzzer		
2	Two Units Permanent	1697
2	Two Units Blinking	2010
2	One Unit Permanent & One Unit Blinking	1854
2	Two Units Revolving	2325
2	One Unit Permanent & One Revolving	2009
2	One Unit Blinking & One Revolving	2163
3 Stack Tower Light Without Buzzer		
3	Three Units Permanent	2271
3	Two Units Permanent & One Unit Blinking	2430
3	One Unit Permanent & Two Unit Blinking	2588
3	Three Units Blinking	2744
3	Three Units Revolving	3213
3	Two Units Permanent & One Revolving	2582
3	Two Units Blinking & One Revolving	2894
3	One Unit Permanent,One Blinking,One Revolving	2738
3	One Unit Permanent & Two Revolving	2898
3	One Unit Blinking & Two Revolving	3051
4 Stack Tower Light Without Buzzer		
4	Four Units Permanent	2854
4	Three Units Permanent & One Unit Blinking	3063
4	Two Units Permanent & Two Unit Blinking	3168
4	One Unit Permanent & Three Unit Blinking	3325

Tower Light Without Buzzer		
No. of Stack	Tower Light Description	MRP (INR)
4	Four Units Blinking	3479
4	Three Units Permanent & One Revolving	3156
4	Two Units Permanent & Two Revolving	3473

Tower Light With Buzzer		
No. of Stack	Tower Light Description	MRP (INR)
2 Stack Tower Light With Buzzer		
2	Single Unit Permanent With Buzzer	1890
2	Single Unit Blinking With Buzzer	2042
2	Single Unit Revolving With Buzzer	2195
3 Stack Tower Light With Buzzer		
3	Two Units Permanent With Buzzer	2469
3	Two Units Blinking With Buzzer	2783
3	One Unit Permanent & One Unit Blinking With Buzzer	2629
3	Two Units Revolving	3091
3	One Unit Permanent & One Revolving	2775
3	One Unit Blinking & One Revolving	2930
4 Stack Tower Light With Buzzer		
4	Three Units Permanent With Buzzer	3048
4	Two Units Permanent & One Unit Blinking With Buzzer	3202
4	One Unit Permanent & Two Unit Blinking With Buzzer	3402
4	Three Units Blinking With Buzzer	3527
4	One Unit Permanent,One Blinking,One Revolving	3503

For Example:

TW1UR1A1G1Z1 - Tower Light Small Base 24V AC/DC Red-Amber-Green Permanent Illumination with Permanent Buzzer
 TW1XR1 - Tower Light Small Base 240V AC Red Permanent Illumination without Buzzer
 TW1XR1Z1 - Tower Light Small Base 240V AC Red Permanent Illumination with Permanent Buzzer
 TW1UR1G1Z1 - Tower Light Small Base 24V AC/DC Red-Green Permanent Illumination with Permanent Buzzer
 TW1UR1G1 - Tower Light Small Base 24V AC/DC Red-Green Permanent Illumination without Buzzer

Tower Light Part Number Decoding			
TW	1 - Base 50mm 2 - Base 110mm	U - 24V AC/DC X - 240V AC T - 12V AC/DC W - 110V AC	R - Red A - Amber G - Green Y - Yellow B - Blue W - White Z - Buzzer

* For L Clamp Base and Foldable Base Order Base and Lens Separately

Spare Prices

Tower Light Base Selection



Luminous Lens Selection



Buzzer Lens Selection



Base	MRP	Part Number
Small Base 60mm	540	ES5001
Big Base 110mm	540	ES5002

Lens (Any Colour)	MRP
Permanent Illumination	580
Blinking Type	704
Revolving Type	908

Part Number Decoding (Lens)			
ES50L	R - Red	1 - Permanent 2 - Blinking 3 - Revolving	U - 24V AC/DC
	A - Amber		X - 240V AC
	G - Green		T - 12V AC/DC
	Y - Yellow		W - 110V AC
	B - Blue		
	W - White		

Buzzer (Any Voltage)	MRP
Permanent	774
Intermittant	774

Part Number Decoding (Buzzer)		
ES50Z	1 - Permanent	U - 24V AC/DC
	2 - Intermittant	X - 240V AC
		T - 12V AC/DC
		W - 110V AC

Accessories	Part No.		MRP (INR)
Tower Light With Different Mounting 	Base Mounted	ES5019	437

Accessories	Part No.		MRP (INR)
	Wall Mounted Bracket	ES122012A	305

	Pole Height	Part No.	MRP (INR)
Swiveling Base 	100mm	ES60004	1051
	200mm	ES60006	1375
	400mm	ES60010	1712

	Pole Height	Part No.	MRP (INR)
L Clamp 	100mm	ES70004	1185
	200mm	ES70006	1803
	400mm	ES70010	2014

Multicolour Tower Lights (3 Colour in 1 Lens)				
	Buzzer	Voltage	Part No.	MRP (INR)
Multicolour Tower Light 	Without Buzzer	24 V DC	TW11UWDRGA10G	1330
	With Buzzer	24 V DC	TW11UWDRGYZ10G	1786
	Without Buzzer	240 V AC	TW10UWDRGA10G	1330
	With Buzzer	240 V AC	TW10UWDRGYZ10G	1786

ANDON SYSTEM



For Prices Please Contact our Sales Team

Sr. No	Item
1	ANDON SYSTEM WITH SINGLE FAULT DETECTION
2	ANDON SYSTEM WITH FIVE FAULT DETECTION

Buzzer & Hooter

Flasher with Buzzer (22.5mm)


	Sr. No	Item	Part No.	MRP (INR)
	1	Flasher with Buzzer Red 24V DC	EG15RI10R024D	335
	2	Flasher with Buzzer 240V AC	EG15RI10R240A	335
	3	Flasher with Buzzer Red 24-240V AC/DC	EG15RI10R224C	510

	Part No.	Selection Code	Voltage	MRP (INR)
96 x 96 Hooter 	IC01	F59C - Without Acknowledgement F60C - With Acknowledgement	248D - 24 V DC & 48 V DC 114A - 110 V AC & 240 V AC	650 Without Acknowledgement
				750 With Acknowledgement

* Hooter in Universal Voltage is also Available

	Part No.	MRP (INR)
IP65 High dB Siren (130 dB at 1 Metre) 	IA00F104C024D	4800

16mm Push Buttons

	Part No.	Selection Code	SPDT / DPDT	Colour	Voltage	MRP (INR)
16mm Push Button Round - Illuminated 	SRE03	FD - Momentary FF - Maintained	3 - 1 NO + 1 NC 26 - 2 NO + 2 NC	R - Red G - Green Y - Yellow A - Amber B - Blue W - White	024D - 24 V DC 240A - 240 V AC	350 Momentary 1 NO + 1 NC
						415 Maintained 1 NO + 1 NC
						390 Momentary 2 NO + 2 NC
						445 Maintained 2 NO + 2 NC
16mm Push Button Square- Illuminated 	SSE03	FD - Momentary FF - Maintained	3 - 1 NO + 1 NC 26 - 2 NO + 2 NC	R - Red G - Green Y - Yellow A - Amber B - Blue W - White	024D - 24 V DC 240A - 240 V AC	350 Momentary 1 NO + 1 NC
						415 Maintained 1 NO + 1 NC
						390 Momentary 2 NO + 2 NC
						445 Maintained 2 NO + 2 NC
Protecting Shroud 	HF102101 Round Square 90 Degree Open Close Type					108
Rubber Shroud 19x19x12mm 	HF192023 Rubber Shroud for 16mm Push Button					57

* Selector Switch and Emergency Also Available

Crane Pendants

Wireless Crane Pendants

	Sr. No	Item	Part No.	MRP (INR)
	1	6 + 2 Single Speed with 24V DC Reciever	IRELZDD04 + IRTLLAD03	15000
	2	6 + 2 Single Speed with 110V AC Reciever	IRELZFA04 + IRTLLAD03	15000
	3	6 + 2 Single Speed with 240V AC Reciever	IRELZGA04 + IRTLLAD03	15000
	4	6 + 2 Double Speed with 24V DC Reciever	IRELLDD08 + IRTLLAD07	25000
	5	6 + 2 Double Speed with 110V AC Reciever	IRELLFA08 + IRTLLAD07	25000
	6	6 + 2 Double Speed with 240V AC Reciever	IRELLGA08 + IRTLLAD07	25000

Crane Pendants

	Sr. No	Item	Part No.	MRP (INR)
	1	3 Way Pendant Emergency, Up/Down Single Speed	EC3M01007	1896
	2	3 Way Pendant Emergency, Up/Down Double Speed	EC3M01008	2116
	3	5 Way Pendant Emergency, Up/Down Single Speed, Right/Left Single Speed	EC5M01009	2822
	4	5 Way Pendant Emergency, Up/Down Double Speed, Right/Left Single Speed	EC5M01011	3042
	5	5 Way Pendant Emergency, Up/Down Double Speed, Right/Left Double Speed	EC5M01010	3262
	6	6 Way Pendant Emergency/Start, Up/Down Single Speed, Right/Left Single Speed	EC6M01020	3816
	7	6 Way Pendant Emergency Stop Turn to Release)/Start, Hoist/Low Double Speed, Right/Left Double Speed	EC6M01021	4255
	8	8 Way Pendant Emergency/Start, Up/Down Single Speed Right/Left Single Speed, For/Rev Single Speed	EC8M01022	4859
	9	8 Way Pendant Emergency/Start, Up/Down Single Speed Right/Left Single Speed, For/Rev Double Speed	EC8M01023	5079
	10	8 Way Pendant Emergency/Start, Up/Down Double Speed Right/Left Double Speed, For/Rev Double Speed	EC8M01024	5519

* Customisation Availible

Panel Lights

Panel Lights (Plastic Moulding with ON-OFF Switch)



Led Panel Light with ON-OFF Switch, White Housing				
Voltage	With Bracket	MRP (INR)	With Magnet	MRP (INR)
240 V AC	IC24A03W240A	703	IC24A04W240A	808
110 V AC	IC24A03W110A	703	IC24A04W110A	808
24 V DC	IC24A03W024D	703	IC24A04W024D	808
12 V DC	IC24A03W012D	703	IC24A04W012D	808

Led Panel Light with ON-OFF Switch, Black Housing				
Voltage	With Bracket	MRP (INR)	With Magnet	MRP (INR)
240 V AC	IC24A03C240A	703	IC24A04C240A	808
110 V AC	IC24A03C110A	703	IC24A04C110A	808
24 V DC	IC24A03C024D	703	IC24A04C024D	808
12 V DC	IC24A03C012D	703	IC24A04C012D	808

* 48V DC Available

LED TUBE LIGHTS



Size	Part No. / Description	MRP (INR)
4 Feet	IT520WCW4MS240A	675
	4 Feet LED Tube Light 20W, 240V AC	
2 Feet	IT512WCW1MSC240A00 / IT510WCW2MSP240A	540
	2 Feet LED Tube Light 12W, 240V AC	
1 Feet	IT505WCW1MSC240A00 / IT505WCWMSP240A	405
	1 Feet LED Tube Light 05W, 240V AC	
150 mm	IT503WCWBMSC240A00	281
	150 mm LED Tube Light 03W, 240V AC	

Machine Lights

Machine Lights (IP67 & 4G Vibration)

		Voltage	Watts	Size	Part No.	MRP (INR)
	IP67 Machine Lights	20-30 V DC	15W	800mm	IM15WAL024D	10800
		20-30 V DC	30W	1200mm	IM30WAJ024D	13100
	IP67 Work Lights	24 V DC	15W	Short Arm	IM15WAH024C	7700
		24 V DC	15W	Long Arm	IM15WAL024C	13100


Different Size, Voltage and Wattage Available (Please contact our Sales Team)

Limit Switch


SLPB Series (Plastic body)




SLPSS Series (Plastic body)



SLMPB Series (Metal body)



MLAS Series (Plastic body)



MNPS Series (Plastic body)



Part No.	MNPSS3100D
MRP	92



Part No.	MNPSS3101D
MRP	109



Part No.	MNPSS3103C
MRP	122



Part No.	MNPSS3100GD
MRP	170



Part No.	MNPSS3100RD
MRP	170

SLMB Series (Metal body)



Part No.	SLMBS3D3
MRP	1454



Part No.	SLMBS3A2
MRP	1623



Part No.	SLMBS3F6
MRP	1454



Part No.	SLMBS3F7
MRP	1454



Part No.	SLMBS3A3
MRP	1454



Part No.	SLMBS3C3
MRP	1750



Part No.	SLMBS3B5
MRP	1919



Part No.	SLMBS3C4
MRP	2010



Part No.	SLMBS3C5
MRP	1750



Part No.	SLMBS3M3
MRP	1454



Part No.	SLMBS3M4
MRP	1454



Part No.	SLMBS3M5
MRP	1454

SLMSB Series (Metal body)



Part No.	SLMSBS3B4
MRP	1310



Part No.	SLMSBS3E3
MRP	1310



Part No.	SLMSBS3A1
MRP	1310



Part No.	SLMSBS3F6
MRP	1310

MLPB Series (Plastic body)



Part No.	MLPBS3A2
MRP	339



Part No.	MLPBS3A3
MRP	359



Part No.	MLPBS3C2
MRP	366



Part No.	MLPBS3L3
MRP	334



Part No.	MLPBS3L4
MRP	334



Part No.	MLPBS3C1
MRP	366



Part No.	MLPBS3E5
MRP	383



Part No.	HB482000A
MRP	65

PVC CAP



Part No.	MLPBS3C12
MRP	267



Part No.	MLPBS3C7
MRP	334



Door Limit
Switch w/o Cover

Part No.	MLPSS3A5
MRP	175

Door Limit Switch
with Cover

Part No.	MLPSS3A7
MRP	200

Pit Switches




Part No.	Type of Switch	Contact	Cable Gland	Qty. of Cable Gland	Protecting Shroud	Mounting Bracket	MRP (INR)
JLFB0000	Mushroom Head Push Turn	1 NC	PG 13.5	2	1	MS Yellow Passivation	553
JL5C0000	Mushroom Head Push Turn	1 NO + 1 NC	PG 13.5	2	1	MS Yellow Passivation	630
JQFB0000	Mushroom Head Push Turn	1 NC	PG 13.5	1	1	NA	521
JFKE0000	Mushroom Head Push Turn	2 NC	PG 13.5	1	1	NA	598
JMJB0000	Mushroom Head Push Pull	1 NC	PG 13.5	2	NA	MS Yellow Passivation	635
JJJE0000	Mushroom Head Push Pull	2 NC	PG 13.5	1	NA	NA	680

LED Torch



Part No.	Voltage	Cable Length	Hook	Wattage	MRP (INR)
IL24F40W240A	240V AC	2 Meter With Power Cord	With Hook	5W	844
IL24S56W240A	240V AC	3 Meter With Power Cord	With Hook	5W	891
IL24S22W240A	240V AC	5 Meter With Power Cord	With Hook	5W	985
IL24S55W240A	240V AC	3 Meter With Power Cord	Without Hook	5W	844
IL16N42W240A	240V AC	3 Meter With Power Cord	With Hook	9W	1260
IL24L52W240A	240V AC	1.5 Meter Without Power Cord	With Hook	5W	693
Charging Hand Lamp	Charging at 240V AC	NA	With Hook	9W	4200

Accessories

	Voltage	Outer Diameter	Part No.	MRP (INR)
Illuminated Legend Plate 	12 V DC	85mm	ELLRG012D	484
	24 V DC	85mm	ELLRG024D	484
Illuminated Legend Plate 	12 V DC	60mm	ELFW012D	387
	24 V DC	60mm	ELFW024D	387
	110 V AC	60mm	ELFW110A	387
	240 V AC	60mm	ELFW240A	387

Item	Part No.	MRP (INR)
	DIN Rail Mounted Bracket for 22.5mm Push Button HF120000A	110

Item	Part No.	MRP (INR)
	22.5mm Panel Mount USB Socket IDA01AACC	631



Esbee Electrotech LLP

Corporate Office: S-42/1, M.I.D.C Bhosari, Pune - 411026

Plant 1: S-42/1, M.I.D.C Bhosari, Pune - 411026, Maharashtra, India.

Plant 2: J-159, M.I.D.C Bhosari, Pune - 411026, Maharashtra, India.

Plant 3: C-29, M.I.D.C Ahmednagar - 414111, Maharashtra, India.

Email: info@esbee-electrotech.com | Website: www.esbee-electrotech.com



Product catalogue
(Scan here)